

LAI		
IPPUL	IPPUL-DAF	2
PML	SMPOT-GPI	3
PML	CG-OGM	43
PML	SMOP-DGA	6
CMTU	CMTU-AC	3
PML	SMF-AT III	7
AMS	AMS-CO FOI ENVIADO ERRONEAMENTE - CORRETO SERIA AMS -ATA I	1
PML	SMTER-AGI	1
PML	SMG-ATA	6
PML	SMGP-DGIAP	1
PML	SEMA-GAB	1
CAAPSML	CAAPSML-AT	2
PML	PGM-ATAF	3
PML	SMRH-OSM	8
PML	CGM-SIC	3
PML	SME-CO	2
PML	CG-AT	1
COHAB-LD	COHAB-LD-DPG	1
TOTAL		94
CONCLUÍDOS		
IPPUL	IPPUL-DAF	2
PML	SMPOT-GPI	1
CAAPSML	CAAPSML-AT	1
PML	CG-OGM	28
PML	SMF-AT III	3
PML	SMG-ATA	4
CMTU	CMTU-AC	2
PML	SMOP-DGA	3
PML	SMTER-AGI	1
PML	PGM-ATAF	2
PML	SMGP-DGIAP	1
PML	SMRH-OSM	5
PML	CGM-SIC	2
PML	SME-CO	1
TOTAL		56